


SHOWER

Z94164

Soffione doccia Ø 400 mm a soffitto. / Ø 400 mm ceiling mounted shower head.



Soffione doccia Ø 400 mm in acciaio inox a soffitto con getto a pioggia.

Portata minima richiesta 10 l/min.

Portata massima limitata 12 l/min.

Nelle versioni verniciate, nebulizzatori e viti rimangono in finitura cromo/acciaio.

Ø 400 mm ceiling mounted stainless steel rain shower head.

Minimum flowrate requested 10 l/min.

Max waterflow limited 12 l/min.

In the painted versions, sprayers and screws remain in chrome/steel finish.


Finiture / Finishes

	 C8	 C40	 C41	 C50	 C51	 P70	 W1
Cromo / Chrome	Nickel Lucido / Polished Nickel	Oro / Gold	Oro spazzolato / Brushed Gold	Metal Black / Metal Black	Metal Black spazzolato / Brushed Metal Black	PVD Oro Rosa / PVD Rose Gold	Bianco Opaco Goffrato / Embossed Matt White
 N1	 N6	 L5	 X	 XP31	 XP41	 XP81	 XP91
Nero Opaco Goffrato / Embossed Matt Black	Nero opaco / Matt black	Blu mediterraneo / Mediterranean blu	Acciaio inox spazzolato / Brushed stainless steel	Brushed PVD British gold / Brushed PVD British gold	Brushed PVD gold / Brushed PVD gold	PVD Brushed Total Black / PVD Brushed Total Black	Brushed PVD copper / Brushed PVD copper

SHOWER

Z94164

Disegno Complessivo / Overall Drawing




SHOWER

Z94164

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
SOFFIONE SHOWER HEAD <i>P1</i>	8	10	12	12	12
<i>P2</i>					
<i>P3</i>					
<i>P4</i>					
<i>P5</i>					



SHOWER

Z94164

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	3,60 (Kg)	7,94 (lb)
Volume test (dc3) - (in3)	8,96 (dc3)	546,77 (in3)
h (mm) - (in)	52,00 (mm)	2,05 (in)
L1 (mm) - (in)	410,00 (mm)	16,14 (in)
L2 (mm) - (in)	420,00 (mm)	16,54 (in)

