




DODUOT		Aesthetic covering for SHV
PRODUCT	SHV#200 005 R05 ST 9010 R12 COP 9010	
SHV#200 005	Article code composed of Model, Height (200) and Number of elements (005)	
R05	Connector code found in the table here below	
ST	Standard Support code found in the table here below	
9010	Colour code to be checked in the Tubes Colour Chart	CLOSED aesthetic coverin
R12	Connection code that defines the type of union for copper pipes or multi-layer pipes	for SHVD
	found herein at page 222	
COP9010	Standard covering code and relative finish to be checked in the Tubes Colour Chart. The standard	
	option provided is a standard covering and an aesthetic covering - both interchangeable -	
	supplied without additional price charge with the same finish as the radiator ordered. For further	
	information on possible variants see the table in the following page.	
ACCESSORIES		
Cod. GVR	One way Remote Valve Assembly, CHROME finish	
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*	



This is the recommended size but you can position it where you like because the shelf slides up and down.






Connection of radiator to the Remote Valve Assembly (GVR) in standard R05 configuration with connectors at the bottom


Double version (SHVD) luuuuu

IN

Standard REAR CONNECTORS

They enable connection to the system via Remote Valve Assembly (GVR) and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITHOUT an additional price charge





Standard con-

Left side con-

nector RS1

nection

Standard connector R05 below at 5 cm




Standard connector RD1 Right side connection

EXTERNAL CONNECTORS - standard type

They enable connection to the system via Standard Valve and Lockshield and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITH an additional price charge of €

IN OUT



I=H-4,4 cm Centred


MADE in this case you need to specify "d" and "i" which must comply to the following: i min.=5 cm

d min.=2.5 cm

Standard connector

External bottom connection - CUSTOM

B2M



Connector on request 0D2 Right side connection

Connector on request 0S2 Left side connection

IN

I=H-4,0 cm Centred

OÙŢ

++ 2,2 cm

SOHO VERTICAL Single and double low water content radiator composed of vertical elements entirely made of anodized aluminium



VERTICAL SINGLE

Height			60			80			100			140			160	
N°	Width	Watts	Watts	Price												
elements	(cm)	∆T 50°C	∆T 30°C	(€)												
3	17,6	279	143		353	181		424	216		559	282		623	313	
4	24,4	371	191		471	241		566	289		745	376		831	418	
5	31,2	464	238		588	301		707	361		931	470		1038	522	
6	38,0	557	286		706	361		848	432		1117	564		1246	626	
7	44,8	650	334		824	422		990	505		1304	659		1453	730	
8	51,6	743	382		942	482		1131	577		1490	753		1661	835	
9	58,4	836	430		1059	542		1272	649		1676	846		1869	939	
10	65,2	928	477		1177	603		1414	721		1862	940		2076	1043	
11	72,0	1021	525		1295	663		1555	793		2049	1035		2284	1148	
12	78,8	1114	573		1412	723		1697	865		2235	1129		2492	1253	
13	85,6	1207	620		1530	783										
14	92,4	1300	668		1648	844										
15	99,2	1393	716		1765	904										
16	106,0	1485	763		1883	964										
17	112,8	1578	811		2001	1024										
18	119,6	1671	859		2118	1084										
19	126,4	1764	907		2236	1145										
20	133,2	1857	954		2354	1205										

Height			180			200			220			240			280	
N°	Width	Watts	Watts	Price												
elements	(cm)	∆T 50°C	∆T 30°C	(€)												
3	17,6	686	345		747	376		806	407		865	437		1009	511	
4	24,4	914	460		995	501		1075	543		1153	583		1345	681	
5	31,2	1143	575		1244	627		1344	678		1442	729		1682	851	
6	38,0	1371	690		1493	752		1613	814		1730	874		2018	1021	
7	44,8	1600	805		1742	878		1882	950		2018	1020		2355	1192	
8	51,6	1828	920		1991	1003		2150	1085		2307	1166		2691	1362	
9	58,4	2057	1035		2240	1129		2419	1221		2595	1311		3027	1532	
10	65,2	2285	1150		2489	1254		2688	1357		2883	1457		3364	1702	
11	72,0	2514	1265		2738	1380		2957	1492		3172	1603		3700	1872	
12	78,8	2742	1380		2986	1505		3226	1628		3460	1748		4036	2042	

VERTICAL DOUBLE

Height			60			80			100			140			160	
Theight												-				
N°	Width	Watts	Watts	Price												
elements	(cm)	∆T 50°C	∆T 30°C	(€)	∆T 50°C	∆T 30°C	(€)	∆T 50°C	ΔT 30°C	(€)	∆T 50°C	∆T 30°C	(€)	∆T 50°C	ΔT 30°C	(€)
3	17,6	436	225		548	283		653	337		851	435		945	482	
4	24,4	582	301		730	377		871	449		1135	581		1260	642	
5	31,2	727	376		913	471		1089	561		1419	726		1575	803	
6	38,0	872	451		1096	566		1307	674		1703	871		1891	964	
7	44,8	1018	526		1278	660		1525	786		1987	1017		2206	1125	
8	51,6	1163	601		1461	754		1743	898		2271	1162		2521	1285	
9	58,4	1309	676		1644	848		1960	1010		2554	1307		2836	1446	
10	65,2	1454	751		1826	942		2178	1123		2838	1452		3151	1606	
11	72,0	1599	826		2009	1037								1		
12	78.8	1745	902		2191	1131										

Height			180			200			220			240	
N°	Width	Watts	Watts	Price									
elements	(cm)	∆T 50°C	∆T 30°C	(€)									
3	17,6	1036	529		1125	575		1211	620		1295	663	
4	24,4	1382	705		1500	767		1615	826		1727	885	
5	31,2	1727	882		1875	958		2018	1032		2159	1106	
6	38,0	2073	1058		2250	1150		2422	1239		2591	1327	
7	44,8	2418	1234		2625	1341							
8	51,6	2763	1410		2999	1533							

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Code	Description	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	


ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)


Additional colour charges are calculated over the Pure white price (Cat. C0), for the other categories the additional charges herein below are applicable: Category C1 and C2 +10% C3 Category +20% RAL not included in the colour chart +30% According to samples Request feasibility and cost estimate Colours not available: GRCR

, nched aesthetic covering with a different colour from the radiator nched aesthetic covering with Galvanized finish (e.g.: Chrome, Gold) OSED aesthetic covering with the same colour as the radiator OSED aesthetic covering with a different colour from the radiator	Ordered with the	ne radiator	Ordered after the Radiator			
Description	Code	Price (€)	Code	Price (€)		
Punched aesthetic covering with a different colour from the radiator	FOR (COL.FIN*)		COPSHEDF#FOR			
Punched aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	FOR (COL.FIN*)		COPSHEDFG#FOR			
CLOSED aesthetic covering with the same colour as the radiator	COP (COL.FIN*)			-		
CLOSED aesthetic covering with a different colour from the radiator	COP (COL.FIN*)		COPSHE#COP			
CLOSED aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (COL.FIN*)		COPSHEG#COP			


 * Colour/finish means you have to indicate the code of colour or finish required

Connection to radiator





Connection of Remote Valve Assembly (GVR) to water system




Cod. GVR One way Remote Valve Assembly, CHROME finish Cod. GVRC#* One way Remote Valve Assembly, COLOUR finish* * Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart

OR1

9010

R12

ST




* This is the recommended size but you can position it where you like because the shelf slides up and down.

Standard REAR CONNECTORS

They enable connection to the system via Remote Valve Assembly (GVR) and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITHOUT an additional price charge

Standard connector OR1

standard connector always supplied, if not otherwise specified in the order



connector RS2

Supplied on request without an additional price charge



connector RD2

Supplied on request without an additional price charge



EXTERNAL CONNECTORS – standard type

Connection of radiator

to the Remote Valve

Assembly (GVR)

in standard OR1 configuration with

connectors at the bottom


They enable connection to the system via Standard Valve and Lockshield and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITH an additional price charge of €

Б


1,5

+ 2,2 cm


connector OB2



Connection to radiator







Valve Assembly (GVR)

н





SOHO HORIZONTAL Single low water content radiator composed of horizontal elements entirely made of aluminium

Width			60			80			100			140			160	
N° elements	Height (cm)	Watts ∆T 50°C	Watts ∆T 30°C	Price (€)												
3	17,6	146	79		195	106		243	132		341	185		389	211	
4	24,4	195	105		260	140		325	175		454	245		519	280	
5	31,2	234	126		312	167		390	209		545	292		623	334	
6	38,0	273	146		364	194		455	243		636	339		727	388	
7	44,8	318	166		424	221		530	277		742	387		848	443	
8	51,6	362	188		482	251		603	314		844	439		965	502	
9	58,4	405	210		540	280		675	350		946	491		1081	561	
10	65,2	451	236		602	314		752	393		1053	550		1203	628	
11	72,0	500	264		667	352		834	440		1167	616		1334	704	
12	78,8	549	293		732	390		915	488		1281	683		1464	780	


Width			180			200			220			240			280	
N° elements	Height (cm)	Watts ∆T 50°C	Watts ∆T 30°C	Price (€)												
3	17,6	438	237		487	264		536	291		584	317		682	370	
4	24,4	584	315		649	350		714	385		779	420		909	490	
5	31,2	701	376		779	418		857	460		935	502		1091	585	
6	38,0	818	437		909	485		1000	534		1091	582		1273	679	
7	44,8	954	498		1061	554		1167	609		1273	665		1485	775	
8	51,6	1085	565		1206	628		1326	690		1447	753		1688	878	
9	58,4	1216	631		1351	701		1486	771		1621	841		1891	981	
10	65,2	1354	707		1504	786		1655	864		1805	943		2106	1100	
11	72,0	1500	791		1667	879		1834	968		2000	1055		2334	1231	
12	78,8	1647	878		1830	975		2013	1073		2196	1170		2562	1365	

Connection to radiator

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Code	Description	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

Additional colour charges are calculated over the Pure white price (Cat. C0), for the other categories the additional charges herein below are applicable: Category C1 and C2 +10%

C3 Category +20%

RAL not included in the colour chart +30%


According to samples Request feasibility and cost estimate Colours not available: GRCR

COVERINGS	Ordered with t	he radiator	Ordered at	fter the Radiator
Description	Code	Price (€)	Code	Price (€)
CLOSED aesthetic covering with the same colour as the radiator	COP (COL.FIN*)			-
CLOSED aesthetic covering with a different colour from the radiator	COP (COL.FIN*)		COPSHE#COP	
CLOSED aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (COL.FIN*)		COPSHEG#COP	

SOHO BATHROOM - COLOURED & ANODIZED

Single low water content radiator composed of vertical elements entirely made of aluminium





Inter-axis 5 cm Inter-axis "s"=46,6 cm

50

(8 el.)

(7 el.) Inter-axis 5 cm Inter-axis "s"=36,6 cm

31,2 cm (5 el.) Inter-axis 5 cm Inter-axis "s"=ND NOT available

Remote Valve Assembly (GVR), or with doube C5B connector for standard These types of connectors must be specified when ordering and they are

> Rear connection - 5 cm centered. Needs to be mounted with a Remote Valve Assembly (GVR), supplied as an accessory.

bottom connection, either 5 cm centered or "s" interaxis of towel warmer valves not included

SOHO BATHROOM - COLOURED & ANODIZED

Single low water content radiator composed of vertical elements entirely made of aluminium

Code	н	L	Coloured version	Anodized version	Anodized	Matte white
	(cm)	(cm)	Watts ∆T 50°C	Watts ∆T 50°C	(€)	(€)
SHVB#070005	70,0	31,2	526	473		
SHVB#070007		44,8	737	663		
SHVB#070008		51,6	842	758		
SHVB#110005	110,0	31,2	778	700		
SHVB#110007		44,8	1089	980		
SHVB#110008		51,6	1244	1120		
SHVB#130005	130,0	31,2	865	779		
SHVB#130007		44,8	1210	1089		
SHVB#130008		51,6	1383	1245		
SHVB#170005	170,0	31,2	1090	981		
SHVB#170007		44,8	1523	1371		
SHVB#170008		51,6	1744	1570		

SOHO for Bathrooms is available 7 days from the date of order in Matte white code BNOP or Silver anodized aluminium with C5B connector. In the Anodized version the code SHVB# becomes SHVBA#.

ADDITIONAL COLOUR CHARGE (see the official Tubes Colour Chart)

Additional color charges are calculated over the Matte white price, for the other categories refer to the additional price charges found here below: Category C1 and C2 +10% C3 Category +20%

RAL not included in the colour chart +30%

According to samples Request feasibility and cost estimate

ANODIZATIONS

The prices found in the table refer to Anodized Silver Aluminium finish. For the Anodized BLACK and GREY TITANIUM version + 10%

COVERINGS	Ordered with the radiator			ter the Radiator
Description	Code	Price (€)	Code	Price (€)
CLOSED aesthetic covering with the same colour as the radiator	COP (COL.FIN*)			-
CLOSED aesthetic covering with a different colour from the radiator	COP (COL.FIN*)		COPSHE#COP	
CLOSED aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (COL.FIN*)		COPSHEG#COP	


* Colour/finish means you have to indicate the code of colour or finish required


Connection to radiator

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Code	Description	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	





Valve Assembly (GVR)

Connection of Remote

to water system

Standard VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 217 - 218 - 219 - 220)

	code	Description	Price	 code	Description	Price 9010	Price Cromo
	Z1TLNR#ANR129010	Valve and Lockshield - ValCOLOR Copper Angle 1/2" RAL 9010 Glossy Pure White	€	Z1TL5NR#ANR12SX	. Valves with 5 cm interaxis 5 cm - Left	€	€
	Z1RAC#R12CRO	2 copper unions diam. 12 mm for ValCOLOR Chrome finish Valve+Lockshield	€	Z1TL5NR#ANR12DX.	.Valves with 5 cm interaxis 5 cm - Right	€	€
	ZRCF#	Kit with pipe collars for towel warmers	€				

SOHO VERTICAL ANODIZED

Single low water content radiator composed of vertical elements entirely made of anodized aluminium

ORDER EXAMPLE To correctly order this me	odel follow the example specified below:
PRODUCT	SHVA#200 005 R05 ST ANAR R12 COPCRO
SHVA#200 005	Article code composed of Model, Height (200) and Number of elements (005)
R05	Connector code found in the table here below
ST	Standard Support code found in the table here below
ANAR	Colour code to be checked in the Tubes Colour Chart
R12	Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 222
COPCRO	Standard covering code and relative finish to be checked in the Tubes Colour Chart. The standard option provided is a standard covering and an aesthetic covering – both interchangeable – supplied without additional price charge in glossy chrome finish. For further information on possible variants see the table in the following page.
ACCESSORIES	
Cod. GVR	One way Remote Valve Assembly, CHROME finish
Cod. GVRC#*	One way Remote Valve Assembly, COLOUR finish*
* Specify the color cod	e, e.g.: 9010, after checking the Tubes Colour Chart

Haladat			70			110			130			170	
Height			70			110			130			170	
N° elements	Width (cm)	Water Content (I)	Watts ∆T 50°C	Price (€)									
3	17,6	0,68	285		0,99	420		1,21	467		1,61	588	
4	24,4	0,90	380		1,32	560		1,61	622		2,15	784	
5	31,2	1,13	475		1,65	700		2,01	778		2,69	980	
6	38,0	1,35	570		1,98	840		2,41	934		3,22	1176	
7	44,8	1,58	665		2,31	980		2,81	1089		3,76	1372	
8	51,6	1,80	760		2,64	1120		3,22	1245		4,30	1568	
9	58,4	2,03	855		2,97	1260		3,62	1400		4,83	1764	
10	65,2	2,25	950		3,30	1400		4,02	1556		5,37	1960	
11	72,0	2,48	1045		3,63	1540		4,42	1712		5,91	2156	
12	78,8	2,70	1140		3,96	1680		4,82	1867		6,44	2352	


The prices found in the table refer to Anodized Silver Aluminium finish. For the Anodized BLACK and GREY TITANIUM version + 10%

Standard REAR CONNECTORS

REMOTE VALVE ASSEMBLY

distance of 6 metres from the radiator. Description


They enable connection to the system via Remote Valve Assembly (GVR) and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITHOUT an additional price charge



EXTERNAL CONNECTORS - standard type

They enable connection to the system via Standard Valve and Lockshield and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITH an additional price charge of \in

Aesthetic covering for SHV



diator

GVRC# Valve and Lockshield assembly for recessed remote connection, COLOUR finish COVERINGS	Ordered wit	Valve Asse	n of Remote embly (GVR) er system	after the Radia
Description	Code	Price (€)	Code	Pric

Description	Code	Price (€)	Code	Price (€)
CLOSED aesthetic covering with the same colour as the radiator	COP (COL.FIN*)			-
CLOSED aesthetic covering with a different colour from the radiator	COP (COL.FIN*)		COPSHE#COP	

* Colour/finish means you have to indicate the code of colour or finish required

RECESSED valve and lockshield assembly for remote connection

Code

GVR#

SOHO HORIZONTAL ANODIZED

Single low water content radiator composed of horizontal elements entirely made of anodized aluminium



To correctly order this me	odel follow the example specified below:	
PRODUCT SHOA#200 005 OR1 ST ANAR R12	SHOA#200 005 OR1 ST ANAR R12 COP CRO Article code composed of Model, Height (200) and Number of elements (005) Connector code found in the table here below Standard Support code found in the table here below Colour code to be checked in the Tubes Colour Chart Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 222	Aesthetic covering for SHO
COPCRO	Standard covering code and relative finish to be checked in the Tubes Colour Chart. The standard option provided is a standard covering and an aesthetic covering – both interchangeable – supplied without additional price charge in glossy chrome finish. For further information on possible variants see the table in the following page.	
ACCESSORIES Cod. GVR Cod. GVRC# [*] * Specify the color cod	One way Remote Valve Assembly, CHROME finish One way Remote Valve Assembly, COLOUR finish [*] le, e.g.: 9010, after checking the Tubes Colour Chart	

Width			70			110			130			170	
N° elements	Height (cm)	Water Content (I)	Watts ∆T 50°C	Price (€)									
3	17,6	0,68	285		0,99	420		1,21	467		1,61	588	
4	24,4	0,90	380		1,32	560		1,61	622		2,15	784	
5	31,2	1,13	475		1,65	700		2,01	778		2,69	980	
6	38,0	1,35	570		1,98	840		2,41	934		3,22	1176	
7	44,8	1,58	665		2,31	980		2,81	1089		3,76	1372	
8	51,6	1,80	760		2,64	1120		3,22	1245		4,30	1568	
9	58,4	2,03	855		2,97	1260		3,62	1400		4,83	1764	
10	65,2	2,25	950		3,30	1400		4,02	1556		5,37	1960	
11	72,0	2,48	1045		3,63	1540		4,42	1712		5,91	2156	
12	78,8	2,70	1140		3,96	1680		4,82	1867		6,44	2352	

The prices found in the table refer to Anodized Silver Aluminium finish. For the Anodized BLACK and GREY TITANIUM version + 10%

Standard REAR CONNECTORS

They enable connection to the system via Remote Valve Assembly (GVR) and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITHOUT an additional price charge

EXTERNAL CONNECTORS - standard type

I=L-4,4 cm Centred


connector OB2

They enable connection to the system via Standard Valve and Lockshield and are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITH an additional price charge of \in

Standard connector


OR1


standard connector always supplied, if not otherwise specified in the order




Connector on request RS2

Without additional price charge








Connection to radiator


REMOTE VALVE ASSEMBLY

COVERINGS

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Code	Description	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	





Connection of Remote Valve Assembly (GVR) to water system

Ordered with the radiator


Ordered after the Radiator

Description	Code	Price (€)	Code	Price (€)
CLOSED aesthetic covering with the same colour as the radiator	COP (COL.FIN*)			-
CLOSED aesthetic covering with a different colour from the radiator	COP (COL.FIN*)		COPSHE#COP	
CLOSED aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (COL.FIN*)		COPSHEG#COP	

SOHO FREE-STANDING VERTICAL DOUBLE

FREE-STANDING low water content radiator composed of double horizontal and vertical elements entirely made of aluminium





ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

+30%

Additional colour charges are calculated over the Pure white price (Cat. C0), for the other categories the additional charges herein below are applicable:

GVRC#

Valve and Lockshield assembly for recessed remote connection, COLOUR finish

C1 Category +10%

C2 and C3 Category +20%

RAL not included in the colour chart

According to samples Request feasibility and cost estimate


Colours not available: GRCF

COVERINGS	Ordered with the	Ordered af	Ordered after the Radiator		
Description	Code	Price (€)	Code	Price (€)	
Punched aesthetic covering with a different colour from the radiator	COP (col.fin*)		COPSHE#C		
Punched aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (col.fin*)		COPSHE#C		
CLOSED aesthetic covering with the same colour as the radiator	COP (col.fin*)		COPSHE#C		
CLOSED aesthetic covering with a different colour from the radiator	COP (col.fin*)		COPSHE#C		
CLOSED aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (col.fin*)		COPSHE#C		

SOHO FREE-STANDING HORIZONTAL DOUBLE

FREE-STANDING low water content radiator composed of double horizontal and vertical elements entirely made of aluminium





INTERAXIS OF THE CONNECTORS = L - 5 cm.

REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Code	Description	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	
GVRC#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	

VALVES for SOHO FREE-STANDING Horizontal Double (unions not included) Special straight valves and Lockshields for SOHO FREE-STANDING Horizontal double

Code	Description	Price (€)
Z1SHNR#	Valve for SOHO FREE-STANDING Horizontal Double	
Z1RAC#	Union for Z1SHNR Valve(2)	

COVERINGS	Ordered with the radiator		Ordered af	Ordered after the Radiator	
Description	Code	Price (€)	Code	Price (€)	
CLOSED aesthetic covering with a different colour from the radiator	COP (COL.FIN*)		COPSHE#COP		
CLOSED aesthetic covering with Galvanized finish (e.g.: Chrome, Gold)	COP (COL.FIN*)		COPSHEG#COP		